

Notice of Allowability	Application No.	Applicant(s)	
	10/605,595	FREEMAN ET AL.	
	Examiner	Art Unit	
	William V. Gilbert	3635	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to Interview with Applicant's Representative, M. Kelly, dated 17 Nov. 2006.
2. The allowed claim(s) is/are 54-68.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date 17 Nov 2006.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Art Unit: 3635

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Applicant's representative, M. Kelley, on 17 November 2006.

Claim 55, which was originally not examined because of a restriction, has been rejoined due to the allowance of Claim 54.

The application has been amended as follows:

The following are amendments to the amended claims dated 10 October 2006:

Claim 56, line 2 and Claim 57, line 1, delete "mounting portion", add --first mounting portion--.

Claim 58, line 2 and Claim 59, line 1, delete "mounting portion", add --second mounting portion--.

Art Unit: 3635

The following is an amendment to the title of the application:

Delete "Connector for a Building Truss with Integral Mounting to Supporting Structure"; add --A Building Truss having a Connector with an Integral Mounting to Supporting Structure--.

The following are amendments to the Specification:

Paragraph 0051, line 1, delete "perspective", add --elevational--.

Paragraph 0051, line 1, delete "elevational", add --perspective--.

Paragraph 0093, line 1, Paragraph 0098, line 1, Paragraph 103, line 1, delete "connector 12", add --connector 10--.

Paragraph 0093, line 14, delete "...", add ----.

The following is an examiner's statement of reasons for allowance: regarding Independent Claim 54, the prior art of record does not disclose a roof truss with a first chord with a connector strap mounted to it, where the strap has an offset portion forming a recess between the first and second ends of the strap, the second end of the strap is connected to a second chord, and the truss having a third chord member orthogonal to

Art Unit: 3635

the first and second chord members, where the third chord intersects the first and second chords and the third chord is at least partially received in the recess of the connector. Claims 55-68 are dependent claims that ultimately depend from Claim 54.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William V. Gilbert whose telephone number is 571.272.9055. The examiner can normally be reached on Monday - Friday, 08:00 to 17:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Naoko Slack can be reached on 571.272.6848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3635

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



NAOKO SLACK
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600

WVG *Wm Sh*
21 Nov 2006